

### 1. Product Description

Product description	: SOMAFIX PARQUET & WOOD FRAME ADHESIVE is water-resistant PVAc based laminate parquet glue, produced in accordance with DIN EN 204 D3 Norms
Product form	: Mixture
Trade name	: SOMAFIX PARQUET & WOOD FRAME ADHESIVE
Use of the substance/mixture	: adhesives
Recommended use	: Industrial use Professional uses Consumer use
Type of product	: adhesives

### 2. Characteristics

Characteristics	: Easy application High adhesion power Flexible
-----------------	---

### 3. Application

- Assembling of laminate parquets, manufacturing of windows, doors, timber beams, bathroom and kitchen furnitures, gluing of MDF and wooden profiles
- Especially using on all wooden surfaces which are exposed to water or humidity

### 4. Application Instructions

- Application temperature is between +5 °C and +35°C
- The surface to be applied should be clean and dry, free of dust and grease
- The parts to be applied should be compatible one to another
- Gluing process is completed by applying the adhesive to the surfaces in strip form according to manufacturer instructions
- Residue of glue can be cleaned with a damp cloth
- Full curing time is 6 to 12 hours after application

### 5. Technical Specifications (@ 23 °C 50% RH)

Physical state	: Liquid
Chemical Basis	: Acrylic (Water Based).
Appearance	: Liquid.
Colour	: white
Odour	: characteristic
Curing System	: Moisture
Complete Curing Time	: 30 – 120 minutes
Density	: 1.11 – 1.17 g/cm <sup>3</sup> @23°C
Viscosity, dynamic	: 16000 cP
Pressing Time	: 20 ± 2 minutes
Application Temperature	: 5 → 35 °C

### 6. Packaging

Packaging	: Original packaging
Colour	: white.

Bottle 500 ml	Package 24 pcs/box
Bottle 500 ml	Package 24 pcs/box

## 7. Shelf Life and Storage

Storage conditions : Store in a well-ventilated place. Keep cool.

Storage temperature : 5 → 35 °C

Bottle 500 ml	15 months (after production date if stored at room temperature.)
Bottle 500 ml	15 months (after production date if stored at room temperature.)

## 8. Health and Safety

Adverse physicochemical, human health and environmental effects : To our knowledge, this product does not present any particular risk, provided it is handled in accordance with good occupational hygiene and safety practice

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

First-aid measures after skin contact : Wash skin with plenty of water.

First-aid measures after eye contact : Rinse eyes with water as a precaution.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

Other medical advice or treatment : Treat symptomatically.

Hand protection : Protective gloves

Eye protection : Safety glasses

Skin and body protection : Wear suitable protective clothing

Respiratory protection : In case of insufficient ventilation, wear suitable respiratory equipment

## 9. Remarks

Remarks : For further information, please refer to the Safety Data Sheet

## 10. Standards and Certificates

Standards and Certificates : D3 (EN 204)

D2 (EN 204)

Technical Data Sheet

*DISCLAIMER OF LIABILITY* The information in this SDS was obtained from sources which we believe are reliable. However, the information is provided without any warranty, express or implied, regarding its correctness. The conditions or methods of handling, storage, use or disposal of the product are beyond our control and may be beyond our knowledge. For this and other reasons, we do not assume responsibility and expressly disclaim liability for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product. This SDS was prepared and is to be used only for this product. If the product is used as a component in another product, this SDS information may not be applicable